

Apex™ Plus for Cats

Only for Cats & Kittens over 8 weeks of Age and Over 1.5 lbs.

3-month Supply

(Contains fipronil and (S)- Methoprene, the active ingredients used in FRONTLINE® Plus for Cats. *)

Kills Fleas, Flea Eggs, Flea Larvae, Ticks & Chewing Lice

Waterproof after 24 hours

Kills ticks, including those that may transmit Lyme disease.

Active Ingredients:

Fipronil	9.80%
(S)-Methoprene	11.80%
Other Ingredients	78.40%
Total	100.00%

*This product is not manufactured or distributed by Boehringer Ingelheim Animal Health USA, Inc., the makers of FRONTLINE® Plus for Cats. FRONTLINE® is a registered trademark of Boehringer Ingelheim Animal Health USA, Inc.

Read entire label before each use. Use only on cats & kittens over 8 weeks of age and over 1.5lbs.

Keep out of reach of Children

Precautionary Statements

Hazards to Humans. Caution.

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin., eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Hazards to Domestic Animals

For external Use on cats only. Individual sensitivities, while rare, may occur after using any pesticide product on cats. Certain medications can interact with pesticides. Do not treat your cat with more than one pesticide product at a time. Overdosing your cat can result in serious illness or even death. Consult a veterinarian before using on medicated, debilitated or aged cats. Can be used on breeding, pregnant, or lactating cats. Consult a veterinarian before using on cats with known organ dysfunction. This product is not suitable for prescribed heartworm preventative.

First Aid

IF SWALLOWED: Call a poison control center or a doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

Hotline Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.

Directions for Use

It is in violation of the Federal law to use this product in a manner inconsistent with its labeling.

Do NOT allow children to apply product.

To prevent harm to you and your cat, read entire label before each use. Follow all directions and precautionary statements carefully.

Restrictions:

Do not use on rabbits or animals other than cats. Do not allow your cat to ingest this product. Do not use on cats or kittens under 8 weeks of age. Do not apply to cats weighing less than 1.5 lbs. Use entire contents of applicator on each cat. Separate the treated cat from all other cats and dogs for 24 hours after treatment has been applied. Do not apply more than one applicator per treatment for one cat regardless of cat's weight. Do not bathe or allow water immersion (swimming) for 24 hours after application. Do not apply more often than once every 30 days.

How to Open:

1. Tear through perforation
2. Cut with scissors to open applicator

How to apply:

1. Invert the applicator over the cat and use open end to part cat's hair
2. Apply contents of one applicator of **Apex™ Plus** for Cats as a spot between the shoulder blades. Squeeze the applicator firmly to apply all of the solution to the cat's skin.

Frequency of Application:

Use this product monthly for control of flea, tick and chewing lice infestations. Apply monthly to prevent flea infestation to your cat. Apply monthly to control ticks and chewing lice. This product remains effective, even after bathing, water immersion, or exposure to sunlight 24 hours after application. Allow treated area to dry thoroughly before touching. Do not reapply for 4 weeks. This product can be used on breeding, pregnant and lactating female cats.

Side Effects:

Monitor your cat after application. Some cats may experience temporary startle effects when any product is applied. Cats may experience some temporary irritation at the site of product application such as redness, scratching or other signs of discomfort. If signs of sensitivity occur, bathe your cat with mild soap and rinse with large amounts of water. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur consult your veterinarian or call 1-866-897-8050. If your cat has an unusual reaction to the initial application, consult a veterinarian before repeating application.

Storage and Disposal

Pesticide Storage: Do not remove applicator from the pack until ready to use. Store in a cool (below 77°F) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

Pesticide Disposal and Container Handling: Non-refillable container. Do not reuse or refill this container. IF EMPTY: Offer recycling if available. IF PARTLY FILLED: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.